

LMB-110 SERIES




Features

- Compact and light weight
- 1/3"SONY Super HAD CCD
- Very high resolution more than 500TVL
- Accept DC type auto iris lens
- BLC,AGC,MIRROR ON/OFF switchable



Dimensions



ITEMS	LMB-110 SERIES
SCANNING SYSTEM	2:1 Interlace
ELECTRONIC SHUTTER	Auto
GAIN CONTROL	ON/OFF switchable
BACK LIGHT COMPENSATION	ON/OFF switchable
MIRROR	ON/OFF Switchable
WHITE BALANCE	Auto
AUTO IRIS	DC Driver
S/N RATIO	More Than 52 dB
GAMMA	0.45
VIDEO OUTPUT	1 VP-P, 75 ohms
STORAGE/OPERATING TEMPERATURE	-30°C ~ +60°C / -10°C ~ +45°C
DIMENSIONS (L*W*H) mm	53×35×41
WEIGHT	170g

Model NO.	Image Sensor	Picture Elements H*V	TVL	Lens Type	Power Consumption	Sensitivity F:1.2	Chip
LMB-110ARE	1/3" SHARP CCD	NTSC:512(H)×492(V) PAL:500(H)×582(V)	420	CS Mount	DC12V/90mA	0.5 LUX	NEXT CHIP
LMB-110ASE	1/3" SONY CCD	NTSC:512(H)×492(V) PAL:500(H)×582(V)	420	CS Mount	DC12V/90mA	0.1 LUX	NEXT CHIP
LMB-110ASH	1/3" SONY Super HAD CCD	NTSC:768(H)×494(V) PAL:752(H)×582(V)	500	CS Mount	DC12V/100mA	0.5 LUX	NEXT CHIP